
electrotome.com

MD Craft®

ENDOSCOPIC ACCESORIES



2026 PRODUCT GUIDE

Türkiye

SYMBOLS



Guidewire

WC Minimum working channel


Don’t use damaged product


Refer to the operating instructions


Production date


Expiration date


Single use only


Don’t resterilize

STERILE EO Sterilized with ethylene oxide

LOT Lot number


REF Catalog number


Don’t expose to the sun



Storage temperature


TABLE OF CONTENTS



Sphincterotomes 1



Polypectomy snares 7



Endoscopic graspers 10



Retrieval net devices 12




Baskets 14



ERCP cannulas 17

Sphincterotomes




Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


ELECTROTOME®

Triple lumen, dome tip sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-01-T50-20	**30101**	20 mm	.035 inch	3.2 mm	
EST-01-T50-25	**30102**	25 mm	.035 inch	3.2 mm	
EST-01-T50-30	**30103**	30 mm	.035 inch	3.2 mm	
EST-01-T50-I30	**30104**	30 mm	.035 inch	3.2 mm	Partially insulated cutting wire




3 cm sphincterotome



Partially insulated






ELECTROTOME®

Billroth II sphincterotome. Triple lumen, dome tip.

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-02-T50-20	**30201**	20 mm	.035 inch	2.8 mm	Billroth II sphincterotome



Billroth II sphincterotome

Used for cannulation of the ductal system and for sphincterotomy in patients with Billroth II anatomy.
It maintains its S-shape thanks to the memory wire inside. It automatically orients itself in the correct cutting direction with the duodenoscope, gastroscope or colonoscope.
Supplied sterile and is disposable. Intended for single use only.

STERILE EO .035

INSULATED ROTATABLE




Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


ELECTROTOME®

Triple lumen, dome tip, rotatable sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-03-T50-20	**30301**	20 mm	.035 inch	3.2 mm	Rotatable
EST-03-T50-25	**30302**	25 mm	.035 inch	3.2 mm	Rotatable
EST-03-T50-I30	**30303**	30 mm	.035 inch	3.2 mm	Partially insulated, rotatable




Rotatable sphincterotome



Rotatable, insulated

STERILE EO




Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


ELECTROTOME®

Needle knife sphincterotome

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-04-T49-50	**30401**	5 mm, max.	.035 inch	3.2 mm	Triple lumen, 4.9 Fr conical tip Needle extension 5 mm




Needle knife sphincterotome



Maximum knife length





Used for cannulation of the ductal system and for sphincterotomy.
Supplied sterile and is disposable. Intended for single use only.

* Instaview series include a “quick valve adaptor”. In devices that use quick valve system, the contrast fluid and guidewire use the same lumen. The one-handed quick valve mechanism provides an effective sealing that allows injection through the same lumen when the a guide wire is present within the lumen.

Instaview™


Double lumen, dome tip, Quick Valve Sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-05-D50-20	**30501**	20 mm	.035 inch	3.2 mm	
EST-05-D50-25	**30502**	25 mm	.035 inch	3.2 mm	
EST-05-D50-30	**30503**	30 mm	.035 inch	3.2 mm	
EST-05-D50-I30	**30504**	30 mm	.035 inch	3.2 mm	Insulated cutting wire


Instaview™

Double lumen, 4.4 Fr tip, Quick Valve Sphincterotomes


Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-05-D44-20	**30601**	20 mm	.025 inch	3.2 mm	
EST-05-D44-25	**30602**	25 mm	.025 inch	3.2 mm	
EST-05-D44-30	**30603**	30 mm	.025 inch	3.2 mm	



3 cm sphincterotome




Insulated sphincterotome



Quick valve sphincterotome





STERILE EO

Polypectomy snares




Used with an electrosurgical unit for endoscopic polypectomy and mucosectomy. Snares come available in multiple configurations. Supplied sterile and is disposable. Intended for single use only.


Mucosal resection snares*

	Product code	Order No	Specifications	Snare width	Length	WC Ø
	**EMR-S01**	**20501**	Serrated snare SS wirerope 0,45 mm	25 mm	235 cm	2,8 mm
	**EMR-S02**	**20502**	Combined snare 0,33 mm	25 mm	235 cm	2,8 mm
	**EMR-S03**	**20503**	Combined snare SS monofil 0,35 mm	25 mm	235 cm	2,8 mm
	**EMR-S04**	**20504**	Erlangen type snare SS monofil 0,35 mm	25 mm	235 cm	2,8 mm











* *Delivered after 45 days following the order.*




Handle



Polypectomy snares

	Product code	Order No	Specifications	Snare width	Length	WC Ø
	**POL-B-R12**	**20101**	Oval mini snare SS braided wire 0,33 mm	12 mm	235 cm	2.8 mm
	**POL-B-R20**	**20102**	Oval snare SS braided wire 0,43 mm	20 mm	235 cm	2.8 mm
	**POL-B-R25**	**20103**	Oval snare SS braided wire 0,43 mm	25 mm	235 cm	2.8 mm
	**POL-B-R30**	**20104**	Oval snare SS braided wire 0,43 mm	30 mm	235 cm	2.8 mm
	**POL-M-R12**	**20201**	Oval mini snare Monofil 0,25 mm	12 mm	235 cm	2.8 mm
	**POL-M-R25**	**20202**	Oval snare Monofil 0,25 mm	25 mm	235 cm	2.8 mm
	**POL-B-H20**	**20301**	Hexagonal snare SS braided wire 0,43 mm	20 mm	235 cm	2.8 mm
	**POL-B-H25**	**20302**	Hexagonal snare SS braided wire 0,43 mm	25 mm	235 cm	2.8 mm
	**POL-B-H30**	**20303**	Hexagonal snare SS braided wire 0,43 mm	30 mm	235 cm	2.8 mm
	**POL-B-A25**	**20401**	Asymetrical snare Partially insulated SS braided wire 0,33 mm	25 mm	235 cm	2.8 mm



Handle







STERILE EO


Endoscopic graspers



Grasping forceps is specifically designed to help you effectively capture foreign bodies. To further enhance the procedure, we gave the forceps a PTFE sheath that allows easy insertion and passage through the endoscope.
Supplied sterile and is disposable. Intended for single use only.

Endoscopic grasping forceps

	Product code	Order No	Specifications	Length	WC Ø
	**FOR-3P-01**	**10101**	Tripod grasper Rounded tip	230 cm	2.8 mm
	**FOR-3P-02**	**10102**	Tripod grasper Hook tip	230 cm	2.8 mm
	**FOR-4P-01**	**10103**	Tetrapod grasper Rounded tip	230 cm	2.8 mm
	**FOR-4P-02**	**10104**	Tetrapod grasper Hook tip	230 cm	2.8 mm
	**FOR-5P-01**	**10105**	Pentapod grasper Rounded tip	230 cm	2.8 mm
	**FOR-5P-02**	**10106**	Pentapod grasper Hook tip	230 cm	2.8 mm



Handle

STERILE EO





Retrieval net devices




Rotatable retrieval net devices used to removal of the polyps, occlusive food residues or foreign bodies from gastrointestinal tract.
The outer tube is made from PTFE which has good lubricity, easy to pass through the working channel.
Supplied sterile and is disposable. Intended for single use only.

FixNet™

Retrieval net devices

	Product code	Order No	Specifications	Length	WC Ø
	**FIL-18-2040**	**10201**	Small size oval retrieval net 20x40 mm	160 cm	2.8 mm
	**FIL-23-2545**	**10202**	Medium size oval retrieval net 25x45 mm	230 cm	2.8 mm
	**FIL-26-3060**	**10203**	Large size Shield type retrieval net 30x60 mm	230 cm	2.8 mm
	**FIL-26-4055**	**10204**	Jumbo size octagonal retrieval net 40x55 mm	230 cm	2.8 mm



Handle

STERILE EO

Baskets




Used for endoscopic removal of biliary stones and foreign bodies.
Supplied sterile and is disposable. Intended for single use only.
* The Instaview series lithotriptor baskets have a patented quick valve adapter that can be controlled with one hand to make an injection when the lumen pull cord is in use.


Instaview™

Biliary lithotripter baskets


Product code	Order No	Specifications	Basket witdh	Length	WC Ø
BAS-L-SS20	**40101**	SS braided wire; 0,45 mm	20 mm	210 cm	2.8 mm
BAS-L-SS25	**40102**	SS braided wire; 0,45 mm Helical basket	25 mm	210 cm	2.8 mm
BAS-L-SS30	**40103**	SS braided wire; 0,45 mm Helical basket	30 mm	210 cm	2.8 mm
BAS-L-NI20	**40201**	Nitinol basket, Standard	20 mm	210 cm	2.8 mm
BAS-L-NI30	**40202**	Nitinol basket, Helical	30 mm	210 cm	2.8 mm



Helical basket




Nitinol basket



Quick valve adaptor

STERILE EO



Used for endoscopic removal of biliary stones and foreign bodies.
Suitable for emergency lithotripsy.
Supplied sterile and is disposable. Intended for single use only.

STERILE EO

Biliary stone extraction baskets

Product code	Order No	Specifications	Basket witdh	Length	WC Ø
BAS-R-SS15	**40301**	Rotatable SS braided wire; 0,45 mm Suitable for emergency lithotripsy	15 mm	230 cm	2.8 mm
BAS-R-SS20	**40302**	Rotatable SS braided wire; 0,45 mm Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm
BAS-R-SS25	**40303**	Rotatable SS braided wire; 0,45 mm Helical basket Suitable for emergency lithotripsy	25 mm	230 cm	2.8 mm
BAS-R-SS-8W	**40304**	Rotatable SS braided wire; 0,33 mm 8-wire Parachute basket	25 mm	230 cm	2.8 mm
BAS-R-NI20-ST	**40401**	Rotatable Nitinol basket, Standard Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm
BAS-R-NI20-HX	**40402**	Rotatable Nitinol basket, Helical Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm

ERCP cannulas




Used for cannulation of biliary or pancreatic ducts. Supplied sterile and is disposable. Intended for single use only.

* Instaview series include a “quick valve adaptor”. In devices that use quick valve system, the contrast fluid and guidewire use the same lumen. The one-handed quick valve mechanism provides an effective sealing that allows injection through the same lumen when the a guide wire is present within the lumen.


Instaview™

ERCP cannulas


Product code	Order No	Specifications	Guidewire	WC Ø
CAN-50P-ST	**50101**	Standard tip	.035 inch	2.8 mm
CAN-50P-DT	**50102**	Dome tip	.035 inch	2.8 mm
CAN-44P-UT	**50103**	Ultra fine tip	.025 inch	
CAN-50M-DT	**50201**	Metallic ball tip	.035 inch	2.8 mm
CAN-44M-CT	**50202**	Metallic conical tip	.025 inch	2.8 mm




Dome tip



Ultra fine tip



Metallic tip



Quick valve control

STERILE EO

Liman Sb. M. B1-Cad. Pharmamed Block, No 9
077130 Konyaaltı, Antalya, Türkiye
Phone: +90 (242) 259 59 90
E-Mail: info@pharmamed.com.tr

CE 2292 ISO