


ENDOSCOPIC ACCESORIES



2025 PRODUCT GUIDE

# SYMBOLS

---



Guidewire

**WC**

Minimum working channel



Don't use damaged product



Refer to the operating instructions



Production date



Expiration date



Single use only



Don't resterilize

**STERILE EO**

Sterilized with ethylene oxide

**LOT**

Lot number

**REF**

Catalog number




Don't expose to the sun




Storage temperature

## TABLE OF CONTENTS



Sphincterotomes	1
Polypectomy snares	7
Endoscopic graspers	10
Retrieval net devices	12
Stone extraction balloons	14
Baskets	16
ERCP cannulas	19

# Sphincterotomes




Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


## ELECTROTOME®

### Triple lumen, dome tip sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-01-T50-20	30101	20 mm	.035 inch	3.2 mm	
EST-01-T50-25	30102	25 mm	.035 inch	3.2 mm	
EST-01-T50-30	30103	30 mm	.035 inch	3.2 mm	
EST-01-T50-I30	30104	30 mm	.035 inch	3.2 mm	Partially insulated cutting wire



3 cm sphincterotome




Partially insulated

STERILE | EO



# S-Shape | Pull type


Supported by a memory wire



## ELECTROTOME®

### Billroth II sphincterotome. Triple lumen, dome tip.

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-02-T50-20	30201	20 mm	.035 inch	2.8 mm	Billroth II sphincterotome



Billroth II sphincterotome

Used for cannulation of the ductal system and for sphincterotomy in patients with Billroth II anatomy.

It maintains its S-shape thanks to the memory wire inside. It automatically orients itself in the correct cutting direction with the duodenoscope, gastroscope or colonoscope. Supplied sterile and is disposable. Intended for single use only.

STERILE EO



# INSULATED ROTATABLE




Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


## ELECTROTOME®

### Triple lumen, dome tip, rotatable sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-03-T50-20	30301	20 mm	.035 inch	3.2 mm	Rotatable
EST-03-T50-25	30302	25 mm	.035 inch	3.2 mm	Rotatable
EST-03-T50-I30	30303	30 mm	.035 inch	3.2 mm	Partially insulated, rotatable




Rotatable sphincterotome



Rotatable, insulated

STERILE EO






Used for cannulation of the ductal system and for sphincterotomy. Sphincterotome is designed to aid navigation through the papilla and the fronds, potentially reducing some risks associated with sphincterotomy. And, with the integrated hub, you have the ability to inject while the wire is in the lumen, giving you the efficiency and procedural control you've come to expect from the device. Supplied sterile and is disposable. Intended for single use only.


## ELECTROTOME®

### Needle knife sphincterotome

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
EST-04-T49-50	30401	5 mm, max.	.035 inch	3.2 mm	Triple lumen, 4.9 Fr conical tip Needle extension 5 mm



Needle knife sphincterotome



Maximum knife length

STERILE EO



035



Used for cannulation of the ductal system and for sphincterotomy.

Supplied sterile and is disposable. Intended for single use only.

\* Instaview series include a “quick valve adaptor”. In devices that use quick valve system, the contrast fluid and guidewire use the same lumen. The one-handed quick valve mechanism provides an effective sealing that allows injection through the same lumen when the a guide wire is present within the lumen.




### Double lumen, dome tip, Quick Valve Sphincterotomes

Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
<b>EST-05-D50-20</b>	<b>30501</b>	20 mm	.035 inch	3.2 mm	
<b>EST-05-D50-25</b>	<b>30502</b>	25 mm	.035 inch	3.2 mm	
<b>EST-05-D50-30</b>	<b>30503</b>	30 mm	.035 inch	3.2 mm	
<b>EST-05-D50-I30</b>	<b>30504</b>	30 mm	.035 inch	3.2 mm	Insulated cutting wire




### Double lumen, 4.4 Fr tip, Quick Valve Sphincterotomes


Product code	Order No	Cutting wire	Guidewire	WC Ø	Specifications
<b>EST-05-D44-20</b>	<b>30601</b>	20 mm	.025 inch	3.2 mm	
<b>EST-05-D44-25</b>	<b>30602</b>	25 mm	.025 inch	3.2 mm	
<b>EST-05-D44-30</b>	<b>30603</b>	30 mm	.025 inch	3.2 mm	



3 cm sphincterotome



Insulated sphincterotome




Quick valve sphincterotome

STERILE EO



# Polypectomy snare




Used with an electrosurgical unit for endoscopic polypectomy and mucosectomy. Snare come available in multiple configurations. Supplied sterile and is disposable. Intended for single use only.

### Mucosal resection snares\*


	Product code	Order No	Specifications	Snare width	Length	WC Ø
	EMR-S01	20501	Serrated snare SS wirerope 0,45 mm	25 mm	235 cm	2,8 mm
	EMR-S02	20502	Combined snare 0,33 mm	25 mm	235 cm	2,8 mm
	EMR-S03	20503	Combined snare SS monofil 0,35 mm	25 mm	235 cm	2,8 mm
	EMR-S04	20504	Erlangen type snare SS monofil 0,35 mm	25 mm	235 cm	2,8 mm

\* Delivered after 45 days following the order.













Handle

STERILE EO



## Polyectomy snares

	Product code	Order No	Specifications	Snare width	Length	WC Ø
	POL-B-R12	20101	Oval mini snare SS braided wire 0,33 mm	12 mm	235 cm	2.8 mm
	POL-B-R20	20102	Oval snare SS braided wire 0,43 mm	20 mm	235 cm	2.8 mm
	POL-B-R25	20103	Oval snare SS braided wire 0,43 mm	25 mm	235 cm	2.8 mm
	POL-B-R30	20104	Oval snare SS braided wire 0,43 mm	30 mm	235 cm	2.8 mm
	POL-M-R12	20201	Oval mini snare Monofil 0,25 mm	12 mm	235 cm	2.8 mm
	POL-M-R25	20202	Oval snare Monofil 0,25 mm	25 mm	235 cm	2.8 mm
	POL-B-H20	20301	Hexagonal snare SS braided wire 0,43 mm	20 mm	235 cm	2.8 mm
	POL-B-H25	20302	Hexagonal snare SS braided wire 0,43 mm	25 mm	235 cm	2.8 mm
	POL-B-H30	20303	Hexagonal snare SS braided wire 0,43 mm	30 mm	235 cm	2.8 mm
	POL-B-A25	20401	Asymmetrical snare Partially insulated SS braided wire 0,33 mm	25 mm	235 cm	2.8 mm



Handle

STERILE EO










# Endoscopic graspers



Grasping forceps is specifically designed to help you effectively capture foreign bodies. To further enhance the procedure, we gave the forceps a PTFE sheath that allows easy insertion and passage through the endoscope. Supplied sterile and is disposable. Intended for single use only.

### Endoscopic grasping forceps

Product code	Order No	Specifications	Length	WC Ø
	<b>FOR-3P-01</b>	10101 Tripod grasper Rounded tip	230 cm	2.8 mm
	<b>FOR-3P-02</b>	10102 Tripod grasper Hook tip	230 cm	2.8 mm
	<b>FOR-4P-01</b>	10103 Tetrapod grasper Rounded tip	230 cm	2.8 mm
	<b>FOR-4P-02</b>	10104 Tetrapod grasper Hook tip	230 cm	2.8 mm
	<b>FOR-5P-01</b>	10105 Pentapod grasper Rounded tip	230 cm	2.8 mm
	<b>FOR-5P-02</b>	10106 Pentapod grasper Hook tip	230 cm	2.8 mm



STERILE EO



Handle

# Retrieval net devices





**PATENT**  
FULLY CLOSABLE POUCH  
2025




**FixNet™**


Rotatable retrieval net devices used to removal of the polyps, occlusive food residues or foreign bodies from gastrointestinal tract. The outer tube is made from PTFE which has good lubricity, easy to pass through the working channel. Supplied sterile and is disposable. Intended for single use only.

## FixNet™ Retrieval net devices

	Product code	Order No	Specifications	Length	WC Ø
	FIL-18-2040	10201	Small size oval retrieval net 20x40 mm	160 cm	2.8 mm
	FIL-23-2545	10202	Medium size oval retrieval net 25x45 mm	230 cm	2.8 mm
	FIL-26-3060	10203	Large size Shield type retrieval net 30x60 mm	230 cm	2.8 mm
	FIL-26-4055	10204	Jumbo size octagonal retrieval net 40x55 mm	230 cm	2.8 mm




STERILE EO



Handle

# Biliary stone extraction balloons



**PATENT**  
QUICK VALVE ADAPTOR •  
2017-13394


Used for endoscopic removal of biliary stones. The product contains natural rubber latex, which may cause allergic reactions. Supplied sterile and is disposable. Intended for single use only.

\* Instaview series include a “quick valve adaptor”. In devices that use quick valve system, the contrast fluid and guidewire use the same lumen. The one-handed quick valve mechanism provides an effective sealing that allows injection through the same lumen when the a guide wire is present within the lumen.




## 2 lumen biliary stone extraction balloons

Product code	Order No	Specifications	Balloon Ø	Guidewire	WC Ø
<b>BAL-851215-IV</b>	<b>60101</b>	One-handed valve control Distal contrast outlet	12-15 mm	.035 inch	3.2 mm




Distal contrast outlet




Quick valve adaptor

## 3 lumen biliary stone extraction balloons

Product code	Order No	Specifications	Balloon Ø	Guidewire	WC Ø
<b>BAL-851215-3L-A</b>	<b>60201</b>	Distal contrast outlet	12-15 mm	.035 inch	3.2 mm
<b>BAL-851215-3L-B</b>	<b>60202</b>	Proximal contrast outlet	12-15 mm	.035 inch	3.2 mm



Distal contrast outlet



Proximal contrast outlet

STERILE | EO



.035

# Baskets



Used for endoscopic removal of biliary stones and foreign bodies.


Supplied sterile and is disposable. Intended for single use only.

\* The Instaview series lithotriptor baskets have a patented quick valve adapter that can be controlled with one hand to make an injection when the lumen pull cord is in use.




### Biliary lithotripter baskets


Product code	Order No	Specifications	Basket width	Length	WC Ø
BAS-L-SS20	40101	SS braided wire; 0,45 mm	20 mm	210 cm	2.8 mm
BAS-L-SS25	40102	SS braided wire; 0,45 mm Helical basket	25 mm	210 cm	2.8 mm
BAS-L-SS30	40103	SS braided wire; 0,45 mm Helical basket	30 mm	210 cm	2.8 mm
BAS-L-NI20	40201	Nitinol basket, Standard	20 mm	210 cm	2.8 mm
BAS-L-NI30	40202	Nitinol basket, Helical	30 mm	210 cm	2.8 mm



Helical basket




Nitinol basket



Quick valve adaptor





Used for endoscopic removal of biliary stones and foreign bodies.

Suitable for emergency lithotripsy.

Supplied sterile and is disposable. Intended for single use only.

**STERILE EO**



## Biliary stone extraction baskets

Product code	Order No	Specifications	Basket width	Length	WC Ø
<b>BAS-R-SS15</b>	<b>40301</b>	Rotatable SS braided wire; 0,45 mm Suitable for emergency lithotripsy	15 mm	230 cm	2.8 mm
<b>BAS-R-SS20</b>	<b>40302</b>	Rotatable SS braided wire; 0,45 mm Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm
<b>BAS-R-SS25</b>	<b>40303</b>	Rotatable SS braided wire; 0,45 mm Helical basket Suitable for emergency lithotripsy	25 mm	230 cm	2.8 mm
<b>BAS-R-SS-8W</b>	<b>40304</b>	Rotatable SS braided wire; 0,33 mm 8-wire Parachute basket	25 mm	230 cm	2.8 mm
<b>BAS-R-NI20-ST</b>	<b>40401</b>	Rotatable Nitinol basket, Standard Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm
<b>BAS-R-NI20-HX</b>	<b>40402</b>	Rotatable Nitinol basket, Helical Suitable for emergency lithotripsy	20 mm	230 cm	2.8 mm

# ERCP cannulas



## PATENT

QUICK VALVE ADAPTOR \*

2017-13394




Used for cannulation of biliary or pancreatic ducts. Supplied sterile and is disposable. Intended for single use only.

\* Instaview series include a “quick valve adaptor”. In devices that use quick valve system, the contrast fluid and guidewire use the same lumen. The one-handed quick valve mechanism provides an effective sealing that allows injection through the same lumen when the a guide wire is present within the lumen.




## ERCP cannulas


Product code	Order No	Specifications	Guidewire	WC Ø
<b>CAN-50P-ST</b>	<b>50101</b>	Standard tip	.035 inch	2.8 mm
<b>CAN-50P-DT</b>	<b>50102</b>	Dome tip	.035 inch	2.8 mm
<b>CAN-44P-UT</b>	<b>50103</b>	Ultra fine tip	.025 inch	
<b>CAN-50M-DT</b>	<b>50201</b>	Metallic ball tip	.035 inch	2.8 mm
<b>CAN-44M-CT</b>	<b>50202</b>	Metallic conical tip	.025 inch	2.8 mm




Dome tip



Ultra fine tip



Metallic tip



Quick valve control

STERILE EO





# SARGE

Sarge Medical Technologies Co., Ltd.  
Güzeloba M. 2137 S, No 8A/1, Daire 2  
07050 Muratpaşa, Antalya, Türkiye  
Phone: +90 (542) 5407770  
E-Mail: info@mdcraft.com.tr

CE 2292 ISO